

DynaMed®

Acceso rápido a las evidencias en el punto de atención al paciente

<https://bibliotecahuca.com>

Responsable Biblioteca Área Sanitaria IV. HUCA

Carolina Pinín Osorio

Celia Macías Caneda

18/06/2024



Un reto importante: ¿Como mantenerse actualizado?

Con las publicaciones científicas


Conociendo cuándo y dónde se producen cambios en la práctica clínica

Con las últimas *guidelines*

Con los fármacos recién incorporados al mercado y aquellos que son retirados

Problema: se publica demasiada información.

The reality of clinical information overload



50 Million medical and scientific publications are available in public databases

One new medical or scientific publication occurs every 30 Seconds

7,000 Publications may be yielded from PubMed searches for commonly encountered clinical problems

An audit of 24-hour medical intake in an acute care hospital included:

- 18 Patients
- 44 Diagnoses
- 3,679 pages of national guidelines
- 122 hours of reading

Clinicians can't easily navigate to the nugget of information they need

Clinicians want to provide care based on the best available evidence

One expert can no longer know all

Knowledge is growing at an unprecedented rate

DynaMed nos ayuda



Contenido basado en evidencias

Sumarios clínicos, información detallada & acceso a los textos completos



Acceso desde cualquier sitio, a cualquier hora

Dentro de la institución

app DynaMed (permite acceso sin internet)

Acceso remoto a través de una cuenta personal



Funcionalidades principales

Crear alertas para temas/especialidades


CME

Acceso a DynaMed desde la página de la Biblioteca

<https://bibliotecahuca.com>

Hay dos opciones:

- A) Desde la pestaña “Recursos”-“Bases de datos y recursos electrónicos”-“Síntesis de evidencia”, o
- B) Desde la barra lateral



The screenshot shows the library's main menu with several options highlighted by orange circles:

- A:** The "RECURSOS" dropdown menu is highlighted. Inside, the "BASES DE DATOS Y RECURSOS ELECTRÓNICOS" option is circled, leading to the "SÍNTESIS DE EVIDENCIA" page.
- B:** The sidebar on the right lists various electronic resources, and the "DynaMed" link is circled in green.

Síntesis de evidencia

DynaMed Es una herramienta basada en la evidencia que permite a los profesionales de la salud acceder a la mejor evidencia disponible para la práctica médica. La información es presentada de forma clara y práctica, facilitando su uso en el punto de atención. Los contenidos se actualizan diariamente y se monitorean más de 500 revistas médicas y más de 500 revisiones sistemáticas.

idebar de recursos:

- Ricerca Ovid
- CINAHL Complete
- ClinicalKey
- DynaMed** (highlighted)
- Embase
- Infotrieve
- Scielo-e
- Healthcare Online 2019 ed.
- Journal Citation Reports
- La Biblioteca Cochrane Plus
- PubMed
- Scopus
- UpToDate
- Web


Página principal: búsqueda por especialidad o palabras clave en diferentes idiomas

DynaMed



CME

Specialties Recent Alerts Drugs A-Z Drug Interactions Calculators About



Recent Alerts

Follow your specialty and individual topics to personalize alerts.

All | Potentially Practice-Changing Only

Evidence • Updated 10 Oct 2022

female sex associated with increased in-hospital mortality and lower rates of intervention in patients with acute myocardial infarction and cardiac arrest (Resuscitation 2022 Mar)

[View in Acute Coronary Syndromes](#)

Evidence • Updated 10 Oct 2022

tumor 0.1-2 mm from ink margin after breast conserving surgery associated with increased risk of distant recurrence compared to > 2-mm margin in female patients with stage I-III breast cancer (BMJ 2022 Sep 21)

[View in Locoregional Therapy for Early and Locally Advanced Breast Cancer](#)



CONSEJERÍA SALUD DEL PRINCIPADO DE ASTURIAS

Unlock personalized alerts and continuing education credits with a [free personal account](#).

[Sign In](#)

[Create Account](#)


Your access courtesy of CONSEJERÍA SALUD DEL PRINCIPADO DE ASTURIAS

Announcements

EBSCO Wins Frost & Sullivan Award

Our clinical decision products have been awarded the **2022 North America Product Leadership Award** from Frost & Sullivan. Read the press release

Página principal: opciones disponibles



DynaMed

Specialties Recent Alerts Drugs A-Z Drug Interactions Calculators About

English Search

CME 1.0 BH

Recent Alerts

Follow your specialty and individual topics. Personalize alerts. Manage follow-up.

FOLLOWED ALL TOPICS

All | Potentially Practice-Changing Only

Guideline Updates • Updated 13 Sep 2022

American Academy of Allergy, Asthma, and Immunology. Early regular use of skin emollients beginning at age 2 weeks may not decrease risk of food allergy at age 3 years [Lancet 2022 Jun 25]. View in Vaping

Evidence • Updated 8 Aug 2022

early regular use of skin emollients beginning at age 2 weeks may not decrease risk of food allergy at age 3 years [Lancet 2022 Jun 25]. View in Immunoglobulin E (IgE)-mediated Food Allergy

Evidence • Updated 8 Aug 2022

early complementary feeding of peanut, cow's milk, egg, and fish beginning at 4 months and 16 weeks may decrease risk of food allergy at age 3 years [Lancet 2022 Jun 25]. View in Immunoglobulin E (IgE)-mediated Food Allergy

Actualización de los temas seguidos o de todos

Ver solo los que presentar un mayor dinamismo práctico

Tipo de documento y fecha de actualización

My Continuing Education
Biblioteca HUCA

Available CME/CPD/CE Credits: 1.0

Claim Credits

Announcements

EBSCO Wins Frost & Sullivan Award

Our clinical decision products have been awarded the 2022 North America Product Leadership Award from Frost & Sullivan. Read the press release

Monkeypox: The Latest

Read about monkeypox, including the 2022 outbreaks, clinical criteria for diagnosis, lesion progression (includes images), and more.

NEW 'COVID-19 Infection Control and Prevention' Open-Access Topic

Crear una cuenta y consultar los Créditos de Educación Médica Continuada (CME)

Reclamar CME

Noticias generales

Crear una cuenta

DynaMed

Specialties Recent Alerts Drugs A-Z Drug Interactions Calculators About

English ▾

Search



CME

Pinche en *Sign In* si está registrado o en *Create Account* para cumplimentar el registro

Recent Alerts

Follow your specialty and individual topics to personalize alerts.

All | Potentially Practice-Changing Only

Evidence • Updated 10 Oct 2022

female sex associated with increased in-hospital mortality and lower rates of intervention in patients with acute myocardial infarction and cardiac arrest (Resuscitation 2022 Mar)

View in Acute Coronary Syndromes

Evidence • Updated 10 Oct 2022

tumor 0.1-2 mm from ink margin after breast conserving surgery associated with increased risk of distant recurrence compared to > 2-mm margin in female patients with stage I-III breast cancer (BMJ 2022 Sep 21)

View in Locoregional Therapy for Early and Locally Advanced Breast Cancer



CONSEJERÍA SALUD DEL PRINCIPADO DE ASTURIAS

Unlock personalized alerts and continuing education credits with a **free personal account**.

Sign In

Create Account

Your access courtesy of CONSEJERÍA SALUD DEL PRINCIPADO DE ASTURIAS

Announcements

EBSCO Wins Frost & Sullivan Award

Our clinical decision products have been awarded the **2022 North America Product Leadership Award** from Frost & Sullivan. Read the press release

Register for a Personal Account

Already have a personal account? [Sign in now](#)

Signing up here will affiliate your account with **CONSEJERIA SALUD DEL PRINCIPADO DE ASTURIAS** and give you access to their subscribed content.

Email Address

Password 

[Show Password](#)

Your Information

First Name

Last Name

Specialty

 Choose a specialty

Role

 Choose a role

Please read and agree to our [Terms of Use](#)

I have read and agreed to all provisions outlined in the Terms of Use.

[Register](#)



Rellene con sus
datos y haga clic en
Register

Búsquedas: SEARCH FOR

DynaMed

Specialties Recent Alerts Drugs A-Z Drug Interactions Calculators About

English ▾ allergic

GO TO

- Allergic and Asthmatic Reactions to Food Additives
- Allergic Bronchopulmonary Aspergillosis
- Allergic Conjunctivitis
- Allergic Reactions to Local Anesthetics
- Allergic Reactions to Vaccines

SEARCH FOR

- allergic rhinitis
- allergic reaction
- allergic reaction treatment
- allergic conjunctivitis
- allergic rhinitis in children

Introduzca sus términos de búsqueda para ir al tema deseado, desde **SEARCH FOR**: te muestra todos los resultados que contengan esos términos.

Guideline Notation • Updated 13 Sep 2022

American Academy of Allergy, Asthma, and Immunology (AAAAI) works to improve patient care by advancing research and education, supporting allergists, asthma specialists and other health care professionals, and advocating for public health and patient rights.

Evidence • Updated 8 Aug 2022

early regular use of skin emollients beginning at age 2 weeks may reduce the risk of eczema in children. View in Vaping

Evidence • Updated 8 Aug 2022

early regular use of skin emollients beginning at age 2 weeks may reduce the risk of eczema in children. View in Immunoglobulin E (IgE)-mediated Food Allergy

Evidence • Updated 8 Aug 2022

early regular use of skin emollients beginning at age 2 weeks may reduce the risk of eczema in children. View in Immunoglobulin E (IgE)-mediated Food Allergy

Continuing Education at HUCA

Available CME/CPD/CE Credits: 1.0

Claim Credits

Accomplishments

Frost & Sullivan Award

decision products have been awarded the 2022 North America Product Leadership Award from Frost & Sullivan. Read the press release

The Latest

monkeypox, including the 2022 outbreaks, clinical criteria for diagnosis, lesion progression (includes images), and more

DynaMed®

BH CME 1.5

Specialties Recent Alerts Drugs A-Z Drug Interactions Calculators About

SEARCH RESULTS

allergic rhinitis

ALL (106)

Narrow Results

CONTENT TYPE

- Approach To Patient (7)
- Condition (43)
- Drug Monograph (40)
- Drug Review (2)
- Lab Monograph (1)
- Other (13)

Muestra todos los resultados
sobre el tema

CONDITION

Allergic Rhinitis

Review of rhinitis symptoms (nasal congestion, rhinorrhea, sneezing, itching) due to immunoglobulin E mediated response.

MANAGEMENT

Sublingual Immunotherapy

Review of sublingual immunotherapy (SLIT), which is given in tablet or liquid form and held under the tongue for 1-2 minutes.

CONDITION

Asthma in Adults and Adolescents


A chronic inflammatory disorder of the airways with symptoms related to limited airflow that can be reversed.

CONDITION

Atopic Dermatitis

Atopic dermatitis, also known as atopic eczema, is a chronic, relapsing, inflammatory skin disease.

Búsquedas: GO TO



DynaMed

Specialties Recent Alerts Drugs A-Z Drug Interactions Calculators About

English | allergic | GO TO

Allergic and Asthmatic Reactions to Food Additives
Allergic Bronchopulmonary Aspergillosis
Allergic Conjunctivitis
Allergic Reactions to Local Anesthetics
Allergic Reactions to Vaccines

SEARCH FOR

allergic rhinitis
allergic reaction
allergic reaction treatment
allergic conjunctivitis
allergic rhinitis in children

Recent Alerts

Introduzca sus términos de búsqueda para ir al tema deseado, desde GO TO: va al tema exacto.

American Academy of Allergy, Asthma, and Immunology (AAAAI) works to impact on allergic respiratory diseases (Curr Probl Pediatr Adolesc Health Care). View in Vaping

Evidence + Updated 8 Aug 2022

early regular use of skin emollients beginning at age 2 weeks may not reduce eczema risk (J Allergy Clin Immunol). View in Immunoglobulin E (IgE)-mediated Food Allergy

Evidence + Updated 8 Aug 2022

Continuing Education

Available CME/CPD/CE Credits: 1.0

Claim Credits

cements

Frost & Sullivan Award

decision products have been awarded the 2022 America Product Leadership Award from Frost & Sullivan. Read the press release

The Latest

monkeypox, including the 2022 outbreaks, clinical criteria for diagnosis, lesion progression (includes images), and more

Funcionalidades de la búsqueda

DynaMed

Fácil navegación

Specialties Recent Alerts Drugs A-Z Drug Interactions Calculators About

Allergic Rhinitis

TOPIC IMAGES (3) UPDATES

Overview and Recommendations

- Background
- Evaluation
- Management

Related Topics

- General Information
- Epidemiology
- Etiology and Pathogenesis
- History and Physical
- Diagnosis
- Management
- Complications
- Prognosis
- Prevention and Screening
- Quality Improvement
- Guidelines and Resources
- Patient Decision Aids
- Patient Information
- References

Secciones dentro del tema: panorama y recomendaciones

BH CME 1.5 Search

Imprimir, seguir, citar o compartir

Autores y editores

TOPIC EDITOR Wei Wei Li MD

RECOMMENDATIONS EDITOR Zbys Fedorowicz MSc, DPH, BDS, LDSRCS

DEPUTY EDITOR Vito Iacoviello MD, FIDSA

Produced in collaboration with American College of Physicians

ACP

Gráficos e imágenes

Images All (3)



Enviar comentarios

Find on Page Feedback

Acceso a Micromedex:

DynaMed®

Specialties Alert Drugs A-Z Drug Interactions Calculators EBM

Search

Drugs A-Z

Powered by *Merative Micromedex®*

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z #

Find in 'A' list

Abacavir

Abacavir/Dolutegravir/Lamivudine

Abacavir/Lamivudine

Abacavir/Lamivudine/Zidovudine

Abaloparatide

Abametapir

Abatacept

Abciximab


Abemaciclib

Abiraterone

Abiraterone Acetate, Micronized

Micromedex
by merative

En el apartado de “Drugs A-Z”, y seleccionando cualquiera de los fármacos, permitirá el acceso a Micromedex.



Acceso a Micromedex:

Specialties Alerts Drugs A-Z Drug Interactions Calculators EBM

DRUG MONOGRAPH

Abacavir Boxed Warning



Drug Classes: Nucleoside Reverse Transcriptase Inhibitor, Anti-Infective Agent, Reverse Transcriptase Inhibitor, Antiviral, Antiretroviral Agent

Routes: oral

Topic



Dosing/Administration

Adult Dosing

Pediatric Dosing

FDA-Labeled Indications

Dose Adjustments

Administration

Medication Safety

Class

Mechanism Of Action


< Previous Section Next Section >

Dosing/Administration

Adult Dosing

- Important Note
 - Perform HLA-B*5701 testing prior to initiation or reinitiation of abacavir (unless patients have a previously documented HLA-B*5701 allele assessment) to reduce the risk of hypersensitivity reaction. Use is contraindicated in patients who test positive for HLA-B*5701 ¹.
- HIV infection
 - 300 mg ORALLY twice daily or 600 mg ORALLY once daily ²
- Merative™ Micromedex® DRUGDEX® Subscribers: Abacavir Sulfate Details 

Haciendo click en este enlace se accede directamente a MICROMEDEX.



Actualizaciones



DynaMed

BH CME 1.5 Search

Specialties Recent Alerts Drugs A-Z Drug Interactions Calculators About

Allergic Rhinitis

TOPIC IMAGES (3) UPDATES

Podemos ver las
actualizaciones del
tema

Drug/Device Alert • Updated 27 Jan 2022

intranasal olopatadine hydrochloride/mometasone furoate monohydrate (Ryaltris) FDA approved for seasonal allergic rhinitis symptoms in patients ≥ 12 years old (FDA Label 2022 Jan)

[View in topic](#)

Drug/Device Alert • Updated 25 Jun 2021

azelastine (Astupro) 0.15% nasal spray receives FDA approval for switch from prescription to nonprescription status for treatment of perennial and seasonal allergic rhinitis in adults and children ≥ 6 years old (FDA Press Release 2021 Jun 17)

[View in topic](#)

Evidence • Updated 13 Apr 2021

as-needed and continuous fluticasone furoate use associated with similar symptom improvement at 5 weeks in adults with moderate-to-severe perennial allergic rhinitis (J Allergy Clin Immunol Pract 2021 Mar)

[View in topic](#)

Drug/Device Alert • Updated 5 Apr 2021

FDA warns of increased reports of abuse and misuse of nonprescription propylhexedrine (Benzedrex) (FDA Safety Communication 2021 Mar 25)

[View in topic](#)

Imágenes

DynaMed

Specialties Recent Alerts Drugs A-Z Drug-Interactions Calculators About

BH CME 1.5 Search

Allergic Rhinitis

TOPIC IMAGES (3) UPDATES

Ahora podemos ver las imágenes del tema y ver en su contexto



Transverse nasal crease

Skin prick allergy test

VIEW IN CONTEXT:

- Asthma in Adults and Adolescents
- Allergic Rhinitis
- Anaphylaxis

Alertas

DynaMed®

Specialties Recent Alerts Drugs A-Z Drug Interactions Calculators About

Allergic Rhinitis

TOPIC IMAGES (3) UPDATES

Overview and Recommendations

- Background
- Evaluation
- Management

Related Topics

- General Information
- Epidemiology
- Etiology and Pathogenesis
- History and Physical
- Diagnosis
- Management
- Complications

Overview and Recommendations

Follow

Get alerts when there are significant updates to this content.

Select:

- All Email Alerts
- Only Potentially Practice-Changing Email Alerts
- No email, please. Just show me alerts on DynaMed.

Follow Cancel

TENEMOS VARIAS OPCIONES PARA RECIBIR LAS ACTUALIZACIONES

TOPIC EDITOR Wei Wei Li MD

RECOMMENDATIONS EDITOR Zbys Fedorowicz MSc, DPH, BDS, LDSRCS

DEPUTY EDITOR Vito Iacoviello MD, FIDSA

Produced in collaboration with American College of Physicians

ACP

Images All (3)

Créditos CME

- DynaMed ofrece la posibilidad de obtener créditos de **Educación Médica Continua (CME)**.
- Para ello, los usuarios de DynaMed deben tener una cuenta de usuario personal y partir de ahí, la propia herramienta acumulará los créditos en todos sus dispositivos.



CME/CPD/CE and MOC

Earn CME/CPD/CE credits while using DynaMed. Claim earned credits and we will submit eligible credits for Maintenance of Certification for you. Learn more about [CME/CPD/CE and MOC](#)

AVAILABLE (1.5)

CLAIMED

MOC

Select All

[About this list](#)

Credit type: AMA/AAPF | [Edit](#)

May 2023

22 May 2023

0.5

Search term/Specialty: ocrelizumab

TOPICS REVIEWED

- > Disease-modifying Therapies for Multiple Sclerosis

22 May 2023

0.5

> Calcitonin

22 May 2023

0.5


Search term/Specialty: neurology

TOPICS REVIEWED


- > Multiple Sclerosis (MS)

Una vez creada
nuestra cuenta,
podemos consultar
los **Créditos de
Educación Médica
Continuada (CME)**

Haciendo clic sobre
el crédito
acumulado,
podemos visualizar
el historial de
búsquedas.



BIBLIOTECA HUCA ÁREA SANITARIA IV



The screenshot shows a digital interface for continuing education. At the top, there are two circular icons: one with "CM" and another with "CME 3.5". The "CME 3.5" icon is circled in pink, with a pink arrow pointing down to a section of the interface. This section contains the text "My Continuing Education" and "CELIA MACÃAS". Below this, a teal box displays the message "Available CME/CPD/CE Credits: 3.5". A white button labeled "Claim Credits" is located at the bottom of this box. In the background, there is a blurred image of a medical or scientific visualization.

Cada vez que volvamos a entrar al recurso con nuestra **cuenta de usuario personal**, tendremos la opción de solicitar esos créditos acumulados, haciendo clic en *Claim Credits*.

Por cada crédito obtenido es necesario cumplimentar un breve formulario para señalar:

- Motivo de la búsqueda.
- Aplicación de los conocimientos aprendidos.

Application in Practice Part 1 of 2

ocrelizumab (0.5)

26 May 2023

Your search for 'ocrelizumab' was to learn about: (Choose one)

- Clinical manifestations
- Diagnosis
- Treatment
- Prognosis
- Prevention
- Other

Indicate how you expect to apply the information obtained in your search for 'ocrelizumab'
(Select any that apply)

- I will change diagnostic tests or strategy (e.g., eliminate an imaging study, change lab work for this condition)
- I will make other practice changes
- I found the information supports my plan
- I will share the information with my patient(s)
- I will share the information with colleagues
- I did not find that the information answered my clinical question

Hacemos clic en
Continue

Continue

Cancel

Evaluation Part 2 of 2 (optional)

I consulted DynaMed

- Before the patient encounter
- During the patient encounter
- After the patient encounter

The editors demonstrated experiential knowledge of this topic

- Yes
- No
- Unsure

The evidence base for best practice recommendations was provided

- Never
- Sometimes
- Often
- Always

The reporting of scientific research was presented objectively

- Yes
- No
- Not Applicable

A balanced view of therapeutic options was provided

- Yes
- No
- Not Applicable

If drugs/devices in a class were provided, other drugs/devices in that class were also mentioned.



Submit

Cancel

A continuación nos da la posibilidad de realizar una breve evaluación (opcional), y hacer clic en **Submit**.

CONSEJERIA SALUD DEL PRINCIPADO DE ASTURIAS
C MACAÑAS

CME 0.0

Buscar

CME/CPD/CE and MOC

Earn CME/CPD/CE credits while using DynaMed. Claim earned credits and we will submit eligible credits for Maintenance of Certification for you. Learn more about CME/CPD/CE and MOC

AVAILABLE (0.0)

CLAIMED

MOC

2023

May 2023

3.5 AMA PRA Category 1 Credit™ and AAFP Prescribed Credit

Download PDF

Finalmente
descargamos
el PDF con
nuestro
certificado de
Dynamed.



BIBLIOTECA HUCA ÁREA SANITARIA IV



Baylor College of Medicine

Certificate of Completion

05/26/2023

Baylor College of Medicine certifies that [REDACTED] Other has participated in the internet point-of-care (PoC) activity learning titled the *DynaMed Point-of-Care Learning*. Each PoC searching and learning activity was designated for 0.50 AMA PRA Category 1 Credit(s)™.

Search Date	Title	Completion Credits
05/24/2023	Paroxysmias in Children	0.5
05/24/2023	Ocrelizumab	0.5
05/24/2023	Natalizumab	0.5
05/24/2023	Mohs Micrographic Surgery	0.5
05/22/2023	Calcitonin	0.5
05/22/2023	Disease-modifying Therapies for Multiple Sclerosis	0.5
05/22/2023	Multiple Sclerosis (MS)	0.5

ACCME: This activity has been planned and implemented in accordance with the accreditation requirements and policies of the Accreditation Council for Continuing Medical Education (ACCME) through the joint providership of Baylor College of Medicine and DynaMed. Baylor College of Medicine is accredited by the ACCME to provide continuing medical education for physicians.

Baylor College of Medicine designates this internet point-of-care activity for a maximum of 0.50 AMA PRA Category 1 Credits™. Physicians should claim only the credit commensurate with the extent of their participation in the activity.

AAFP: This Point of Care activity, *DynaMed Point-of-Care Learning*, has been reviewed and is acceptable for up to 20 Prescribed credit(s) by the American Academy of Family Physicians. Term of approval begins 08/01/2023. Term of approval is for one year from this date. Physicians should claim only the credit commensurate with the extent of their participation in the activity.

Michael Fordis, MD
Senior Associate Dean and Director
Office of Continuing Medical Education
Baylor College of Medicine

El certificado es expedido por **Baylor College of Medicine** y además de la fecha y la búsqueda realizada, señala el número de créditos obtenidos.



BIBLIOTECA HUCA ÁREA SANITARIA IV



Los Créditos obtenidos a través de DynaMed se pueden convalidar a través del **Consejo Profesional Médico Español de Acreditación para DPC/FMC**

https://www.seaformec.es/reconocimiento_uems



The screenshot shows the SEAFORMEC website interface. At the top left is the logo with a stylized 'S' and the text 'SEAFORMEC SMPAC'. To its right, the text reads 'Consejo Profesional Médico Español de Acreditación para DPC/FMC' and 'Spanish Medical Professional Accreditation Council for CPD/CME'. Below this is a navigation bar with links: 'INICIO', 'SEAFORMEC/SMPAC', 'ÁREA ACREDITACIÓN SEAFORMEC/UEMS', and 'RECONOCIMIENTO DE CRÉDITOS'. A breadcrumb trail at the bottom left indicates the user is at 'Inicio > Reconocimiento Créditos Internacionales. ECMEC's / AMA Pra Category 1'. The main content area displays the title 'Reconocimiento Créditos Internacionales. ECMEC's / AMA Pra Category 1'.



BIBLIOTECA HUCA ÁREA SANITARIA IV



SEAFORMEC no está habilitado para el reconocimiento de créditos internacionales a profesionales sanitarios que no sean médicos.

Usted es el único responsable de los datos introducidos en este formulario.

Datos personales

Colegio Oficial de Médicos al que pertenece: * Selecione Colegio

Nombre: *

Apellido 1: *

Apellido 2 (opcional):

Sexo: *

Tipo doc. identificativo: *

Número de identificación: *

Correo electrónico: *

Comprobar correo electrónico: *

Para el reconocimiento de créditos es necesario cumplimentar este formulario y hacer clic en **Enviar**.

Aproximadamente, 15 CME de DynaMed corresponden a 1 crédito del **Sistema Nacional de Salud**. Para obtener los créditos (sólo para médicos), es necesario usar DynaMed desde la cuenta personal y hacer búsquedas clínicas.

Datos de la actividad

Tipo de créditos *

ECMEC (EACCME-UEMS)

No registre actividades con otro tipo de créditos o serán rechazadas.

Título de la actividad: *

Tipo de actividad: *


Especialidad de la Actividad : *

Es preciso adjuntar el certificado expedido por **DynaMed**

Fecha inicio de la actividad: *	<input type="text"/>
Fecha fin de la actividad:	<input type="text"/>
Horas lectivas: *	<input type="text"/> 0.0
Créditos otorgados: *	<input type="text"/> 0.0
+ Adjuntar documento*	

¿Cómo descargar la App?

Es necesario tener creada una cuenta







BIBLIOTECA HUCA ÁREA SANITARIA IV




1. Download de la app en App Store o Play Store



2. Elija la opción deseada



3. Y acepte los términos y condiciones



BIBLIOTECA HUCA ÁREA SANITARIA IV



Elija la forma de autenticación



DynaMed

Access to DynaMed requires an active subscription. Please authenticate using one of the options below.

Institutional Network


Sign In

Conectarse al Wi-Fi institucional
Connect to your Institution's Internet

O Entrar con sus credenciales
Authenticate

NOTE: Network authentication must be enabled by your Institution.

Not a Subscriber?
Access DynaMed as a Guest



DynaMed

Access to DynaMed requires an active subscription. Please authenticate using one of the options below.

Institutional Network


Sign In

Sign In with your username and password.

Sign In

ACP Member?
Sign In with ACP

Not a Subscriber?
Access DynaMed as a Guest



DynaMed

Access to DynaMed requires an active subscription. Please authenticate using one of the options below.

Institutional Network

Sign In

"DynaMed" Deseja Usar "ebsco.zone" para Iniciar Sessão
Isso permite que o app e o site compartilhem informações sobre você.

Cancelar Continuar

ACP Member?
Sign In with ACP

Not a Subscriber?
Access DynaMed as a Guest



Ingrese sus credenciales personales de acceso

Cancela login.ebsco.zone

DynaMed

Sign in to your Personal Account

Email Address

Password

Sign In



BIBLIOTECA HUCA ÁREA SANITARIA IV



DynaMed[®]

Choose an installation option
You can change this in user settings at any time.

Online Only 75,1 MB
Must have internet connection to access content.

Partial Install 599,8 MB
Store text and thumbnails on your device. Full images available when connected to the internet.

Full Install 758,9 MB
Store all content on your device.

Continue

- ✓ Permite elegir como instalar la aplicación, dependerá en cada usuario de la capacidad que tenga su teléfono o tableta.
- ✓ La opción *Full Install* permite tener acceso a todo el contenido, sin estar conectado a Internet.

Más información en:

biblioteca.gae4@sespa.es

Ext. 36397 / 39471

Tutorial

MUCHAS GRACIAS!!!